Supplementary material to:

S.A. Bapat and D.K. Jaspal,

Surface-modified Water Hyacinth (*Eichhornia crassipes*) over Activated Carbon for Wastewater Treatment: A Comparative Account,

S. Afr. J. Chem., 2020, **73**, 70–80.

Surface Modified Water Hyacinth (Eichhornia crassipes) over Activated Carbon for Waste Water Treatment: A Comparative Account

Shreyas A. Bapat[a], Dipika K. Jaspal[b]*

[a] Symbiosis Institute of Technology (SIT), Symbiosis International (Deemed University) (SIU), Gram: Lavale, Tal: Mulshi, Pune-412115, Maharashtra, India, shreyasbapat111@gmail.com Tel- +91 9921353505
ORCID id: https://orcid.org/0000-0001-9403-7178

[b*]Symbiosis Institute of Technology (SIT), Symbiosis International (Deemed University) (SIU), Gram: Lavale, Tal: Mulshi, Pune-412115, Maharashtra, India, dipikaj@sitpune.edu.in Tel- +91 9225635349
ORCID id: https://orcid.org/0000-0002-3532-8626

TABLE OF CONTENTS

1. **Figure S1-** log (1-F) vs. t plot at 27°C for treated WH stem and AC adsorbents
2. **Figure S2-** log (1-F) vs. t plot at 40°C for treated WH stem and AC adsorbents




Fig. S1 log (1-F) vs. t plot at 27°C for treated WH stem and AC adsorbents




Fig. S2 log (1-F) vs. t plot at 40°C for treated WH stem and AC adsorbents